



American
 **Chains**®

www.americanchains.com

FORESTRY AND INDUSTRIAL

American Chains™ Net™ chains are available in single, double, or triple Net™ patterns, in 9/16" (14mm), 5/8" (16mm), or 3/4" (19mm) tag options. All feature six aggressive studs per section for maximum traction while also providing excellent tire protection.



Single Net™



Double Net™



Triple Net™

The American Chains™ 5/8" (16mm) Super Stud™ model features 3/4" (19mm) oversize studs. Super Stud™ chain is recommended for harvester/forwarder applications in addition to skidders and loaders, where an open pattern for ease of cleaning is needed. Excellent traction on ice and rock.



Super Stud™



Economy Ring Bear Paw™



Standard Ring Bear Paw™



Tight Ring Bear Paw™



Combo™ Chain

Bear Paw™ Ring chains are available in three different models, with either 5/8" or 3/4" tag chain, for heavy duty applications in mud or snow.

- Bear Paw™ Economy Ring, with seven links of tag chain, provides the traction required while also offering greater savings.
- Bear Paw™ Standard Ring, with industry standard five links of tag chain, delivers traction and performance with value.
- Bear Paw™ Tight-Ring, offers smooth operator ride with its three links tag configuration due to minimal distance between rings.

An industry first of combination ring and stud chain allowing for traction in all types of terrain and conditions. With the aggressive ring design, coupled with studded tag chain, Combo™ Chain performs in mud or snow, and rock or ice, and is suitable for all heavy duty applications. Large heavy duty rings and lugs with 3/4" (19mm) studs on both the 5/8" (16mm) and 3/4" (19mm) tag models. Also available in dual side by side rings for wider flotation tire sizes.

AGRICULTURAL

American Chains™ ForesTrac® studded tractor tire chains are available with 1/2" tag chain to meet any traction requirements, especially rock or ice. American Chains recommends customer checks for adequate clearance before purchasing these aggressive off road tractor chains.



ForesTrac® Studded



ForesTrac® Ring

American Chains™ ForesTrac® ring tire chains are available with 1/2" tag chain with 1" by 10" ring or 7/8" by 8" ring to meet any traction requirements, especially mud or snow. American Chains recommends customer checks for adequate clearance before purchasing these aggressive off road tractor chains.

**American
Chains.**

American Chains® is TCR's exclusive line of tire chains for forestry, industrial, and agricultural equipment. American Chains® feature hardened Boron Alloy steel for maximum durability.

Hand Assembled in
the State of Maine





ACCESSORIES

G200/G202 Installation Tools

The G200 Super Jack and G202 Trac Jack™ facilitate installation and maintenance requirements, resulting in longer chain life from properly tightened chains. The G200 is a ratchet type jack, while the G202 is a screw type jack.



Plug Couplings

Plug Couplings work great for installation or repair of forestry tire chains. Made from heat treated alloy steel. Parts include spring pins.



Black™ Pin Shackle

Black™ Pin Load Rated Shackles are ideal for skidder tire chain applications. Safe working load is marked on every shackle. Available in 1/4" (6mm) to 1" (25mm).



**American
Chains**

Offered Exclusively by:

TIRE CHAINS REQUIRED

16 NH Route 132N
New Hampton, NH USA 03256
800 869 8629
www.tirechainsrequired.com

